

2004

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

43

Henrico County

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Secondary Route	

Special Routes

Bus 	Bus - Business Route
	Bypass - Bypass Route
	Truck - Truck Route
	ALT - Alternate Route
	Wye - Wye Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Brook Rd	Henrico County	0.30	20000	G	97%	1%	1%	0%	1%	0%	F	NA		22000	G	
1 Brook Rd	Henrico County	0.83	19000	F	99%	0%	1%	0%	0%	0%	C	0.091	F	0.537	21000	F
1 Brook Rd	Henrico County	0.72	20000	F	99%	0%	1%	0%	0%	0%	F	0.099	F	0.584	22000	F
1 Brook Rd	Henrico County	0.48	22000	F	99%	0%	1%	0%	0%	0%	F	0.090	F	0.525	24000	F
1 Brook Rd	Henrico County	1.42	24000	G	95%	0%	3%	1%	1%	0%	C	NA		25000	G	
1 Brook Rd	Henrico County	0.73	42000	F	95%	0%	3%	1%	1%	0%	F	0.097	F	0.506	46000	F
1 Brook Rd	Henrico County	0.98	30000	F	95%	0%	3%	1%	1%	0%	F	0.091	F	0.501	33000	F
From: NCL Richmond																
2 301 Chamberlayne Ave	Henrico County	0.55	15000	F	96%	1%	1%	0%	1%	0%	C	0.112	F	0.754	16000	F
2 301 Chamberlayne Ave	Henrico County	0.90	13000	G	94%	0%	1%	2%	3%	0%	F	0.12	N	0.722	5400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																
2 301 Chamberlayne Ave	Henrico County	1.57	16000	F	98%	0%	1%	1%	1%	0%	C	0.12	F	0.722	18000	F
2 301 Chamberlayne Ave	Henrico County	0.17	28000	F	98%	0%	1%	1%	1%	0%	F	0.109	F	0.728	31000	F
From: ECL Richmond																
5 Osborne Tnpk	Henrico County	1.99	8400	F	97%	0%	1%	1%	1%	0%	C	0.126	F	0.854	9200	F
5 New Market Rd	Henrico County	2.13	6900	F	95%	0%	1%	2%	1%	0%	C	0.121	F	0.697	7600	F
5 New Market Rd	Henrico County	3.27	7500	F	93%	1%	1%	2%	3%	0%	C	0.107	F	0.701	8200	F
5 New Market Rd	Henrico County	4.70	2400	F	90%	1%	1%	3%	5%	0%	C	0.097	F	0.693	2600	F
5 156 New Market Rd	Henrico County	1.72	2500	F	90%	1%	1%	3%	5%	0%	F	0.098	F	0.663	2600	F
From: Goochland County Line																
6 Patterson Ave	Henrico County	1.04	20000	F	96%	0%	1%	2%	1%	0%	F	0.102	F	0.523	22000	F
To: Pump Rd																

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
6 Patterson Ave	Henrico County	From: 0.69	Pump Rd	26000	F	96%	0%	1%	2%	1%	0%	C	0.101	F	0.582	28000	F
6 Patterson Ave	Henrico County	To: 1.04	Gaskins Rd	23000	F	98%	0%	1%	1%	1%	0%	C	0.096	F	0.607	25000	F
6 Patterson Ave	Henrico County	From: 0.52	Gayton Rd	23000	F	99%	0%	0%	0%	0%	0%	F	0.098	F	0.502	27000	F
6 Patterson Ave	Henrico County	To: 0.97	Parham Rd	20000	F	97%	0%	1%	1%	1%	0%	C	0.097	F	0.619	23000	F
6 Patterson Ave	Henrico County	From: 0.94	Forest Ave	18000	B	99%	0%	0%	0%	0%	0%	C	0.116	A	0.678	20000	B
6 Patterson Ave	Henrico County	To: WCL Richmond															
33 Staples Mill Rd	Henrico County	From: 0.38	Hanover County Line	14000	F	96%	1%	1%	1%	1%	0%	F	0.097	F	0.664	15000	F
33 Staples Mill Rd	Henrico County	To: 0.61	I-295	21000	F	98%	0%	1%	0%	0%	0%	F	0.097	F	0.534	23000	F
33 Staples Mill Rd	Henrico County	From: 2.18	SR 157; Springfield Rd; Mountain Rd	17000	F	98%	0%	1%	0%	0%	0%	F	0.098	F	0.591	20000	F
33 Staples Mill Rd	Henrico County	To: 1.05	43-7526 Hungary Rd	20000	F	98%	0%	1%	0%	0%	0%	F	0.099	F	0.677	23000	F
33 Staples Mill Rd	Henrico County	From: 1.10	Parham Rd	34000	F	98%	0%	1%	0%	0%	0%	C	0.109	B	0.579	35000	F
33 Staples Mill Rd	Henrico County	To: 0.37	Bremner Blvd	36000	F	98%	0%	1%	0%	0%	0%	F	0.087	F	0.515	42000	F
33 Staples Mill Rd	Henrico County	From: 1.01	SR 356 Hilliard Rd; 43-7536 Glenside Dr	33000	F	96%	1%	2%	1%	1%	0%	C	0.089	F	0.572	39000	F
33 Staples Mill Rd	Henrico County	To: 1.32	I-64	20000	F	98%	0%	1%	0%	0%	0%	F	0.097	F	0.512	23000	F
33 Staples Mill Rd	Henrico County	From: ECL Richmond															
33 Nine Mile Rd	Henrico County	From: 1.49	Laburnum Ave	22000	F	97%	1%	1%	1%	0%	0%	C	0.088	F	0.529	24000	F
33 Nine Mile Rd	Henrico County	To: 2.10	Beauregard Ave	16000	F	97%	1%	1%	1%	0%	0%	F	0.092	F	0.523	17000	F
33 Nine Mile Rd	Henrico County	From: 1.27	SR 156; Airport Dr	12000	F	97%	1%	1%	0%	0%	0%	C	0.085	F	0.555	14000	F
33 Nine Mile Rd	Henrico County	To: 1.43	SR 33 Y	9300	F	97%	1%	1%	0%	0%	0%	F	0.097	F	0.644	10000	F
33 Nine Mile Rd	Henrico County	From: 0.15	US 60 Williamsburg Rd	2100	F	97%	1%	1%	0%	0%	0%	F	0.106	F		2300	F
		To:															

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
33 60 156 Williamsburg Rd	Henrico County	From: WILLIAMSBURG RD US 60	1.38	12000	F	95%	1%	1%	1%	1%	0%	C	0.097	F	0.595	14000	F
33 60 156 Williamsburg Rd	Henrico County	To: I-295	2.24	13000	A	94%	0%	1%	2%	3%	0%	C	0.116	A	0.654	14000	A
33 60 Williamsburg Rd	Henrico County	From: ELKO RD SR 156	1.85	8600	F	94%	0%	1%	2%	3%	0%	F	0.085	F	0.662	9400	F
Wye 33	Henrico County	To: New Kent County Line															
60 Williamsburg Rd	Henrico County	From: SR 33	0.13	2300	F	97%	0%	1%	1%	1%	0%	C	0.104	F		2500	F
60 Williamsburg Rd	Henrico County	To: US 60 Williamsburg Rd															
60 Williamsburg Rd	Henrico County	From: ECL Richmond	0.57	14000	F	97%	0%	1%	1%	1%	0%	F	0.085	F	0.533	15000	F
60 Williamsburg Rd	Henrico County	To: Charles City Rd															
60 Williamsburg Rd	Henrico County	From: Laburnum Ave	1.54	14000	F	97%	0%	1%	1%	1%	0%	C	0.086	F	0.501	16000	F
60 Williamsburg Rd	Henrico County	To: SR 156 Airport Dr															
60 156 Williamsburg Rd	Henrico County	From: SR 156	1.50	13000	F	94%	1%	1%	1%	3%	0%	F	0.089	F	0.572	15000	F
60 33 156 Williamsburg Rd	Henrico County	To: SR 33 Nine Mile Rd															
60 33 156 Williamsburg Rd	Henrico County	From: I-295	1.38	12000	F	95%	1%	1%	1%	1%	0%	C	0.097	F	0.595	14000	F
60 33 156 Williamsburg Rd	Henrico County	To: SR 156; Elko Rd															
60 33 Williamsburg Rd	Henrico County	From: SR 156; Elko Rd	2.24	13000	A	94%	0%	1%	2%	3%	0%	C	0.116	A	0.654	14000	A
60 33 Williamsburg Rd	Henrico County	To: New Kent County Line															
East 64	Henrico County	From: Goochland County Line	1.85	8600	F	94%	0%	1%	2%	3%	0%	F	0.085	F	0.662	9400	F
East 64	Henrico County	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	51000		F	86%	1%	1%	1%	11%	0%	F	0.118	F		24000	F
East 64	Henrico County	To: I-295															
East 64	Henrico County	0.67	26000	F	97%	0%	0%	0%	2%	0%	F	0.113	F		29000	F	
East 64	Henrico County	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	53000		F	97%	0%	0%	1%	2%	0%	F	0.103	F	0.573	59000	F
East 64	Henrico County	To: US 250 Near Short Pump															
East 64	Henrico County	1.43	36000	F	97%	0%	0%	0%	2%	0%	F	0.113	F		40000	F	
East 64	Henrico County	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	70000		F	97%	0%	0%	1%	2%	0%	F	0.099	F	0.578	79000	F
East 64	Henrico County	To: Gaskins Rd															
East 64	Henrico County	1.39	48000	F	97%	0%	0%	0%	2%	0%	C	0.115	F		49000	F	
East 64	Henrico County	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	96000		F	97%	0%	0%	1%	2%	0%	C	0.111	F	0.872	97000	F
		To: Parham Rd															

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
East 	Henrico County	2.03	52000	F	97%	0%	0%	0%	2%	0%	F	0.109	F	58000	F		
East 	Henrico County	2.03	58000	F	97%	0%	0%	0%	2%	0%	F	0.088	F	64000	F		
East 	Henrico County	1.19	69000	F	97%	0%	0%	0%	2%	0%	F	0.081	F	77000	F		
East 	City of Richmond (Maint: 43)	0.74	69000	F	97%	0%	0%	0%	2%	0%	F	0.081	F	77000	F		
East 	City of Richmond (Maint: 43)	0.48	74000	F	92%	1%	1%	1%	6%	0%	F	0.086	F	78000	F		
East  	City of Richmond (Maint: 43)	2.72	73000	A	92%	1%	1%	1%	6%	0%	C	0.091	A	78000	A		
East 	City of Richmond (Maint: 43)	1.67	44000	F	94%	1%	1%	1%	4%	0%	F	0.098	F	47000	F		
East 	City of Richmond (Maint: 43)	0.25	36000	F	94%	1%	1%	1%	4%	0%	F	0.095	F	39000	F		
East 	Henrico County	0.77	36000	F	94%	1%	1%	1%	4%	0%	F	0.095	F	39000	F		
East 	City of Richmond (Maint: 43)	0.24	36000	F	94%	1%	1%	1%	4%	0%	F	0.095	F	39000	F		
East 	Henrico County	0.10	36000	F	94%	1%	1%	1%	4%	0%	F	0.095	F	39000	F		
East 	Henrico County	0.10	36000	F	94%	1%	1%	1%	4%	0%	F	0.095	F	39000	F		

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
East 	Henrico County	From: SR 33 Nine Mile Rd	2.14	29000	F	94%	1%	1%	1%	4%	0%	F	0.102	F	31000	F	
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	57000	F	94%	1%	1%	4%	0%	F	NA	61000
East 	Henrico County	To: Laburnum Ave	From: Laburnum Ave	1.88	22000	A	94%	1%	1%	1%	4%	0%	C	0.120	A	23000	A
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	46000	A	94%	1%	1%	4%	0%	C	0.093
East 	Henrico County	To: SR 156 Airport Dr	From: SR 156 Airport Dr	4.07	14000	F	94%	1%	1%	1%	4%	0%	F	0.103	F	15000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	30000	F	94%	1%	1%	4%	0%	F	0.088
East 	Henrico County	To: I-295	From: I-295	2.84	29000	F	89%	1%	1%	1%	8%	0%	F	0.083	F	29000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	58000	F	90%	1%	1%	8%	0%	F	0.075
West 	Henrico County	To: New Kent County Line	From: New Kent County Line	2.57	25000	F	86%	1%	1%	1%	11%	0%	F	0.111	F	23000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	51000	F	86%	1%	1%	11%	0%	F	0.096
West 	Henrico County	To: I-295	From: I-295	0.79	27000	F	97%	0%	1%	1%	2%	0%	F	0.115	F	31000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	53000	F	97%	0%	0%	1%	2%	0%	F
West 	Henrico County	To: US 250 Near Short Pump	From: US 250 Near Short Pump	1.67	34000	F	97%	0%	1%	1%	2%	0%	F	0.111	F	38000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	70000	F	97%	0%	0%	1%	2%	0%	F
West 	Henrico County	To: Gaskins Rd	From: Gaskins Rd	1.33	48000	F	97%	0%	1%	1%	2%	0%	C	0.124	B	48000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	96000	F	97%	0%	0%	1%	2%	0%	C
West 	Henrico County	To: Parham Rd	From: Parham Rd	2.35	50000	F	97%	0%	1%	1%	2%	0%	F	0.111	F	57000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	102000	F	97%	0%	0%	1%	2%	0%	F
West 	Henrico County	To: US 250; Glenside Dr	From: US 250; Glenside Dr	1.53	58000	F	97%	0%	1%	1%	2%	0%	F	0.101	F	66000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	116000	F	97%	0%	0%	1%	2%	0%	F
West 	Henrico County	To: US 33 Staples Mill Rd	From: US 33 Staples Mill Rd	0.71	77000	F	97%	0%	1%	1%	2%	0%	F	0.097	F	87000	F
								Combined Traffic Estimates for 2 Parallel Roadways on this Route:	146000	F	97%	0%	0%	1%	2%	0%	F
		To: WCL Richmond	From: WCL Richmond														

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 		From:	Henrico County Line													
	City of Richmond (Maint: 43)	0.92	77000	F	97%	0%	1%	1%	2%	0%	F	0.097	F		87000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	146000	F	97%	0%	0%	1%	2%	0%	F	NA				164000	F
West North  		To:	I-95; I-195													
	City of Richmond (Maint: 43)	0.78	69000	F	92%	1%	1%	1%	6%	0%	F	0.09	F		74000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	143000	F	92%	1%	1%	1%	6%	0%	F	0.080	F	0.566		152000	F
West North  		To:	SR 161 Boulevard													
	City of Richmond (Maint: 43)	2.51	71000	F	92%	1%	1%	1%	6%	0%	C	0.087	B		72000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	145000	F	92%	1%	1%	1%	6%	0%	C	0.088	B	0.528		150000	F
West 		To:	I-95 East Interchange													
	City of Richmond (Maint: 43)	1.70	49000	F	94%	1%	1%	1%	4%	0%	F	0.103	F		51000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	93000	F	94%	1%	1%	1%	4%	0%	F	0.08	F	0.666		98000	F
West 		To:	MECL Richmond													
	Henrico County	0.06	49000	F	94%	1%	1%	1%	4%	0%	F	0.103	F		51000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	93000	F	94%	1%	1%	1%	4%	0%	F	NA				98000	F
West 		To:	US 360; Mechanicsville Turnpike													
	Henrico County	0.71	37000	F	94%	1%	1%	1%	4%	0%	F	0.103	F		39000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	73000	F	94%	1%	1%	1%	4%	0%	F	0.078	F	0.646		78000	F
West 		To:	MWCL Richmond													
	City of Richmond (Maint: 43)	0.24	37000	F	94%	1%	1%	1%	4%	0%	F	0.103	F		39000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	73000	F	94%	1%	1%	1%	4%	0%	F	NA				78000	F
West 		To:	ECL Richmond													
	Henrico County	0.43	37000	F	94%	1%	1%	1%	4%	0%	F	0.103	F		39000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	73000	F	94%	1%	1%	1%	4%	0%	F	NA				78000	F
West 		To:	SR 33 Nine Mile Road													
	Henrico County	2.18	29000	F	94%	1%	1%	1%	4%	0%	F	0.111	F		30000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	57000	F	94%	1%	1%	1%	4%	0%	F	NA				61000	F
West 		To:	Laburnum Ave													
	Henrico County	1.99	24000	A	94%	1%	1%	1%	4%	0%	C	0.124	A		25000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	46000	A	94%	1%	1%	1%	4%	0%	C	0.093	A	0.712		48000	A
West 		To:	SR 156 Airport Dr													
	Henrico County	3.62	16000	F	94%	1%	1%	1%	4%	0%	F	0.121	F		17000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	30000	F	94%	1%	1%	1%	4%	0%	F	0.088	F	0.723		32000	F
	To:	I-295														

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 	Henrico County	2.71	29000	F	90%	1%	1%	1%	8%	0%	F	0.103	F	30000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	F	90%	1%	1%	1%	8%	0%	F	0.075	F	0.56	60000 F	
To: 	New Kent County Line															
Parham Rd 	Henrico County	0.78	34000	F	95%	0%	2%	2%	1%	0%	C	0.093	F	0.541	37000 F	
To: 	I-95, 43-7518															
Powhite Pkwy 	City of Richmond (Maint: 43)	0.66	100000	F	98%	0%	0%	0%	1%	0%	F	0.109	F	0.647	113000 F	
To: 	SR 146															
Powhite Pkwy 	City of Richmond (Maint: 43)	0.94	70000	F	98%	0%	0%	0%	1%	0%	F	0.103	F	0.674	79000 F	
To: 	I-195															
North 	From: James River Bridge															
	City of Richmond (Maint: 43)	0.40	54000	F	90%	1%	1%	1%	8%	0%	F	0.106	F	53000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			107000	F	89%	1%	1%	1%	8%	0%	F	0.083	F	0.605	106000 F	
To: 	SR 195 Downtown Expressway															
North 	From: City of Richmond (Maint: 43)	1.54	55000	F	90%	1%	1%	1%	8%	0%	F	0.093	F	55000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			117000	F	89%	1%	1%	1%	8%	0%	F	0.082	F	0.548	115000 F	
To: 	I-64 South Intersection															
North East 	From: City of Richmond (Maint: 43)	2.51	71000	F	92%	1%	1%	1%	6%	0%	C	0.087	B	72000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			145000	F	92%	1%	1%	1%	6%	0%	C	0.088	B	0.528	150000 F	
To: 	SR 161 Boulevard															
North East 	From: City of Richmond (Maint: 43)	0.78	69000	F	92%	1%	1%	1%	6%	0%	F	0.09	F	74000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			143000	F	92%	1%	1%	1%	6%	0%	F	0.080	F	0.566	152000 F	
To: 	I-64 North Interchange															
North 	From: City of Richmond (Maint: 43)	1.07	55000	F	90%	1%	1%	1%	7%	0%	F	0.083	F	55000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			111000	F	89%	1%	1%	1%	7%	0%	F	0.077	F	0.517	113000 F	
To: 	NCL Richmond															
North 	From: Henrico County	0.91	55000	F	90%	1%	1%	1%	7%	0%	F	0.083	F	55000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			111000	F	89%	1%	1%	1%	7%	0%	F	NA			113000 F	
To: 	US 1 Brook Rd															
North 	From: Henrico County	0.30	47000	F	90%	1%	1%	1%	7%	0%	F	0.085	F	48000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			99000	F	89%	1%	1%	1%	7%	0%	F	0.08	F	0.612	100000 F	
To: 	US 301 Chamberlayne Ave															
North 	From: Henrico County	1.82	49000	G	90%	1%	1%	1%	7%	0%	C	0.095	A	49000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			98000	G	89%	1%	1%	1%	7%	0%	C	0.090	A	0.542	97000 G	
To: 	SR 73 Parham Rd															

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW						
							2Axle	3+Axle	1Trail	2Trail												
North 	Henrico County	From: SR 73 Parham Rd	1.47	46000	F	90%	1%	1%	1%	7%	0%	F	0.087	F	46000	F						
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	91000	F	89%	1%	1%	1%	7%	0%	F	0.076	F	0.568	92000	F	
North 	Henrico County	To: I-295	From: I-295	1.94	64000	F	85%	1%	1%	1%	12%	0%	F	0.072	F	61000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	131000	F	85%	1%	1%	1%	12%	0%	F	0.070	F	0.506	122000	F	
South 	City of Richmond (Maint: 43)	From: Maury St	0.75	53000	F	89%	1%	1%	1%	8%	0%	F	0.102	F	53000	F						
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	107000	F	89%	1%	1%	1%	8%	0%	F	0.083	F	0.605	106000	F	
South 	City of Richmond (Maint: 43)	To: SR 195 Downtown Expy	From: SR 195 Downtown Expy	1.47	61000	F	89%	1%	1%	1%	8%	0%	F	0.08	F	60000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	117000	F	89%	1%	1%	1%	8%	0%	F	0.082	F	0.548	115000	F	
South East  	City of Richmond (Maint: 43)	To: I-64 South Interchange	From: I-64 South Interchange	2.72	73000	A	92%	1%	1%	1%	6%	0%	C	0.091	A	78000	A					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	145000	F	92%	1%	1%	1%	6%	0%	C	0.088	B	0.528	150000	F	
South East  	City of Richmond (Maint: 43)	To: SR 161 Boulevard	From: SR 161 Boulevard	0.48	74000	F	92%	1%	1%	1%	6%	0%	F	0.086	F	78000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	143000	F	92%	1%	1%	1%	6%	0%	F	0.080	F	0.566	152000	F	
South 	City of Richmond (Maint: 43)	To: I-64 North Interchange, I-195	From: I-64 North Interchange, I-195	1.01	56000	F	89%	1%	2%	1%	7%	0%	F	0.089	F	57000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	111000	F	89%	1%	1%	1%	7%	0%	F	0.077	F	0.517	113000	F	
South 	Henrico County	To: NCL Richmond	From: NCL Richmond	0.76	56000	F	89%	1%	2%	1%	7%	0%	F	0.089	F	57000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	111000	F	89%	1%	1%	1%	7%	0%	F	NA			113000	F	
South 	Henrico County	To: US 1 Brook Rd	From: US 1 Brook Rd	1.06	52000	F	89%	1%	2%	1%	7%	0%	F	0.093	F	53000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	99000	F	89%	1%	1%	1%	7%	0%	F	0.08	F	0.612	100000	F	
South 	Henrico County	To: US 301 Chamberlayne Ave	From: US 301 Chamberlayne Ave	1.60	49000	G	89%	1%	2%	1%	7%	0%	C	0.095	B	48000	G					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	98000	G	89%	1%	1%	1%	7%	0%	C	NA			97000	G	
South 	Henrico County	To: SR 73 Parham Rd	From: SR 73 Parham Rd	2.04	45000	F	89%	1%	2%	1%	7%	0%	F	0.086	F	45000	F					
							Combined Traffic Estimates for 2 Parallel Roadways on this Route:	91000	F	89%	1%	1%	1%	7%	0%	F	0.076	F	0.568	92000	F	

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 95	Henrico County	0.98	67000	F	86%	1%	1%	1%	11%	0%	F	0.07	F	61000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	131000		F	85%	1%	1%	1%	12%	0%	F	0.070	F	0.506	122000	F
From: 146	To: City of Richmond (Maint: 43)	0.86	20000	F	98%	0%	0%	0%	0%	0%	C	0.106	F	0.768	25000	F
From: 147 Huguenot Rd	To: Huguenot Memorial Bridge	0.45	25000	F	99%	0%	0%	0%	0%	0%	C	0.092	F	0.593	28000	F
From: 147 River Rd	To: 43-7506 River Rd	0.02	27000	N	99%	0%	0%	0%	0%	0%	N	0.082	N	0.559	30000	N
From: 150 Chippenham Pkwy	To: Parham Rd; River Rd	1.25	44000	F	97%	0%	1%	0%	1%	0%	F	0.107	F	0.526	48000	F
From: 156 5 New Market Rd	To: Charles City County Line	1.72	2500	F	90%	1%	1%	3%	5%	0%	F	0.098	F	0.663	2600	F
From: 156 Willis Church Rd	To: W SR 5	3.70	150	F	95%	1%	2%	1%	2%	0%	F	0.137	F	0.622	160	F
From: 156 Charles City Rd	To: Charles City Rd	1.19	2100	F	95%	1%	2%	1%	2%	0%	F	0.094	F	0.571	2300	F
From: 156 Elko Rd	To: Elko Rd	4.40	1800	F	95%	1%	2%	1%	2%	0%	C	0.096	F	0.602	2000	F
From: 156 Elko Rd	To: Elko Tract Rd	0.54	4000	F	95%	1%	2%	1%	2%	0%	F	0.100	F	0.788	4400	F
From: 156 60 33 Williamsburg Rd	To: E US 60	2.24	13000	A	94%	0%	1%	2%	3%	0%	C	0.116	A	0.654	14000	A
From: 156 60 33 Williamsburg Rd	To: I-295	1.38	12000	F	95%	1%	1%	1%	1%	0%	C	0.097	F	0.595	14000	F
From: 156 60 Williamsburg Rd	To: NINE MILE RD SR 33	1.50	13000	F	94%	1%	1%	1%	3%	0%	F	0.089	F	0.572	15000	F
From: 156 Airport Dr	To: US 60	0.54	28000	F	93%	1%	1%	1%	4%	0%	C	0.084	F	0.537	31000	F
From: 156 Airport Dr	To: I-64	0.76	21000	F	95%	1%	1%	1%	3%	0%	F	0.089	F	0.604	23000	F
From: 156 Airport Dr	To: Nine Mile Rd	1.86	15000	F	95%	1%	1%	1%	3%	0%	C	0.098	F	0.547	17000	F
From: 156	To: I-295															

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
156 Airport Dr	Henrico County	From: I-295 1.09	5300	F	97%	0%	1%	1%	1%	0%	F	0.108	F	0.728	5800	F
		To: Hanover County Line														
157 Gaskins Rd	Henrico County	From: SR 6: Patterson Avenue 0.82	23000	F	99%	0%	0%	0%	0%	0%	F	0.102	F	0.536	26000	F
		To: Quioccasin Rd														
157 Quioccasin Rd	Henrico County	From: Gaskins Rd 0.63	14000	F	99%	0%	0%	0%	0%	0%	F	0.095	F	0.593	15000	F
		To: Pemberton Rd														
157 Pemberton Rd	Henrico County	From: Quioccasin Rd 1.47	8700	F	99%	0%	0%	0%	0%	0%	F	0.103	F	0.533	9600	F
		To: Three Chopt Rd														
157 Pemberton Rd	Henrico County	From: Three Chopt Rd 1.17	11000	F	99%	0%	0%	0%	0%	0%	C	0.104	F	0.614	12000	F
		To: US 250; Broad St														
157 Springfield Rd	Henrico County	From: US 250; Broad St 0.59	18000	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.526	20000	F
		To: Hungary Rd														
157 Springfield Rd	Henrico County	From: Hungary Rd 0.97	19000	F	99%	0%	1%	0%	0%	0%	C	0.102	F	0.622	21000	F
		To: Nuckols Rd														
157 Springfield Rd	Henrico County	From: Nuckols Rd 2.06	5100	F	99%	0%	1%	0%	0%	0%	F	0.162	F	0.632	5600	F
		To: US 33 Staples Mill Rd														
161 Lakeside Ave	Henrico County	From: NCL Richmond 0.35	17000	F	96%	0%	2%	0%	1%	0%	C	0.094	F	0.550	18000	F
		To: Dumbarton Rd														
161 Lakeside Ave	Henrico County	From: Dumbarton Rd 0.93	14000	F	99%	0%	1%	0%	0%	0%	C	0.096	F	0.579	15000	F
		To: SR 356 Hilliard Rd														
161 Hilliard Rd	Henrico County	From: Lakeside Ave 0.74	7900	F	97%	0%	1%	0%	1%	0%	C	0.11	F	0.662	8700	F
		To: US 1; Brook Rd														
North 195	City of Richmond (Maint: 43)	From: SR 195 Downtown Expwy 0.48	16000	F	97%	0%	1%	0%	1%	0%	F	0.173	F		19000	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 30000 F 97%									F	0.128	F	0.74	34000	F
North 195	City of Richmond (Maint: 43)	From: SR 76 Powhite Pkwy 0.79	35000	A	97%	0%	1%	0%	1%	0%	C	0.170	A		40000	A
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 73000 A 97%									C	0.138	A	0.569	85000	A
North 195	City of Richmond (Maint: 43)	From: Thompson St 0.41	47000	F	97%	0%	1%	0%	1%	0%	F	0.12	F		55000	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 88000 F 97%									F	0.108	F	0.586	102000	F
		To: US 33 US 250 Broad St														

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
 North 195	City of Richmond (Maint: 43)	From: US 33 US 250 Broad St	0.45	41000	F	97%	0%	1%	0%	1%	0%	F	0.103	F	47000	F
 North 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	NA			101000	F	
 North 195	Henrico County	From: NCL Richmond	0.37	41000	F	97%	0%	1%	0%	1%	0%	F	0.103	F	47000	F
 North 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	NA			101000	F	
 North 195	City of Richmond (Maint: 43)	From: SCL Richmond	0.12	41000	F	97%	0%	1%	0%	1%	0%	F	0.103	F	47000	F
 North 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	0.103	F		101000	F	
 South 195	City of Richmond (Maint: 43)	From: SR 197 Laburnum Ave	0.88	41000	N	97%	0%	1%	0%	1%	0%	N	0.103	N	47000	N
 South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	N	97%	0%	1%	0%	1%	0%	N	NA			101000	N	
 South 195	City of Richmond (Maint: 43)	From: SR 195 Downtown Expwy	0.61	13000	F	98%	0%	0%	0%	1%	0%	F	0.198	F	15000	F
 South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	30000	F	97%	0%	1%	0%	1%	0%	F	0.128	F	0.74	34000	F	
 South 195	Downtown Expressway	From: SR 76 Powhite Pkwy	0.22	39000	A	98%	0%	0%	0%	1%	0%	C	0.141	A	44000	A
 South 195	City of Richmond (Maint: 43)	From: Grove Ave	0.65	41000	F	98%	0%	0%	0%	1%	0%	F	0.105	F	47000	F
 South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	0.108	F	0.586	102000	F	
 South 195	City of Richmond (Maint: 43)	From: US 33 US 250 Broad St	0.65	47000	F	98%	0%	0%	0%	1%	0%	F	0.078	F	54000	F
South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	NA			101000	F	
South 195	City of Richmond (Maint: 43)	From: NCL Richmond	0.37	47000	F	98%	0%	0%	0%	1%	0%	F	0.078	F	54000	F
South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	NA			101000	F	
South 195	City of Richmond (Maint: 43)	From: SCL Richmond	0.07	47000	F	98%	0%	0%	0%	1%	0%	F	0.078	F	54000	F
South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	F	97%	0%	1%	0%	1%	0%	F	NA			101000	F	
South 195	City of Richmond (Maint: 43)	From: SR 197 Laburnum Ave	0.93	47000	N	98%	0%	0%	0%	1%	0%	N	0.078	N	54000	N
South 195	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	88000	N	97%	0%	1%	0%	1%	0%	F	NA					

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 195 Downtown Expressway	City of Richmond (Maint: 43)	1.02	13000	F	99%	0%	0%	0%	0%	0%	F	0.149	F	16000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		23000	F	99%	0%	0%	0%	0%	0%	F	NA		27000	F	
North 195 Downtown Expressway	City of Richmond (Maint: 43)	2.10	20000	A	99%	0%	0%	0%	0%	0%	C	0.235	A	24000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	A	99%	0%	0%	0%	0%	0%	C	0.158	A	0.801	46000 A	
North 195 Downtown Expressway	City of Richmond (Maint: 43)	0.27	9600	F	99%	0%	0%	0%	0%	0%	F	0.226	F	12000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		18000	F	99%	0%	0%	0%	0%	0%	F	0.161	F	0.770	21000 F	
South 195 Downtown Expressway	City of Richmond (Maint: 43)	1.00	11000	F	99%	0%	0%	0%	0%	0%	F	0.095	F	12000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		23000	F	99%	0%	0%	0%	0%	0%	F	NA		27000	F	
South 195 Downtown Expressway	City of Richmond (Maint: 43)	2.15	19000	A	99%	0%	0%	0%	0%	0%	C	0.257	A	23000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	A	99%	0%	0%	0%	0%	0%	C	0.158	A	0.801	46000 A	
South 195 Downtown Expressway	City of Richmond (Maint: 43)	0.24	8700	F	99%	0%	0%	0%	0%	0%	F	0.182	F	9600	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		18000	F	99%	0%	0%	0%	0%	0%	F	0.161	F	0.770	21000 F	
From: 197 Westwood Ave	Henrico County	0.52	13000	F	94%	0%	2%	3%	1%	0%	C	0.097	F	0.674	14000 F	
To: WCL Richmond																
From: 250 Broad St	Henrico County	1.60	18000	F	98%	0%	1%	1%	0%	0%	C	0.093	F	0.542	19000 F	
To: Lauderdale Drive																
From: 250 Broad St	Henrico County	0.54	39000	F	99%	0%	1%	0%	0%	0%	C	0.087	F	0.535	43000 F	
To: SR 271 Pouncy Tract Rd																
From: 250 Broad St	Henrico County	0.84	64000	F	96%	0%	1%	2%	1%	0%	C	0.085	F	0.623	70000 F	
To: I-64																
From: 250 Broad St	Henrico County	0.75	46000	F	99%	0%	0%	0%	0%	0%	C	0.098	F	0.654	51000 F	
To: Cox Rd																
From: 250 Broad St	Henrico County	0.81	44000	F	99%	0%	0%	0%	0%	0%	F	0.090	F	0.531	48000 F	
To: Gaskins Rd																
From: 250 Broad St	Henrico County	0.50	39000	F	98%	0%	1%	0%	0%	0%	F	0.092	F	0.535	43000 F	
To: SR 157 Pemberton Rd																
From: 250 Broad St	Henrico County	1.57	44000	F	98%	0%	1%	0%	0%	0%	C	0.087	F	0.557	48000 F	
To: Parham Rd																

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW								
							2Axle	3+Axle	1Trail	2Trail														
250 Broad St	Henrico County	0.72	36000	F	98%	1%	1%	0%	1%	0%	F	0.089	F	0.564	41000	F								
250 Broad St	Henrico County	1.15	41000	F	96%	0%	1%	1%	1%	0%	C	0.089	F	0.587	46000	F								
250 Broad St	Henrico County	0.90	40000	F	96%	0%	1%	2%	1%	0%	C	0.092	F	0.616	45000	F								
250 Broad St	Henrico County	1.32	33000	F	98%	1%	1%	0%	1%	0%	F	0.093	F	0.505	37000	F								
271 Pouncey Tract Rd	Henrico County	2.51	12000	F	98%	0%	1%	1%	0%	0%	C	0.090	F	0.559	13000	F								
271 Pouncey Tract Rd	Henrico County	1.19	6100	F	96%	0%	1%	2%	1%	0%	F	0.117	F	0.602	6700	F								
East 295	Henrico County	1.35	21000	F	93%	0%	1%	2%	4%	0%	F	0.114	F	23000	F									
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 43000 F 93% <i>East I-295 is signed as South I-295</i>																								
East 295	Henrico County	2.43	25000	F	93%	0%	1%	2%	4%	0%	F	0.133	F	27000	F									
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 49000 F 93% <i>East I-295 is signed as South I-295</i>																								
East 295	Henrico County	3.42	27000	A	93%	0%	1%	2%	4%	0%	C	0.143	A	30000	A									
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 53000 A 93% <i>East I-295 is signed as South I-295</i>																								
East 295	Henrico County	1.34	30000	F	93%	0%	1%	2%	4%	0%	F	0.12	F	33000	F									
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 58000 F 93% <i>East I-295 is signed as South I-295</i>																								
East 295	Henrico County	1.88	16000	F	93%	0%	1%	2%	4%	0%	F	0.142	F	17000	F									
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 32000 F 93% <i>East I-295 is signed as South I-295</i>																								
						To:	US 1; I-95 Collector Rd End																	

Virginia Department of Transportation
Mobility Management Division
2004

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 295							From:	US 1; I-95 Collector Rd End								
	Henrico County	0.17	52000	G	89%	1%	1%	1%	9%	0%	F	0.106	F		50000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 97000 G 89% 1% 1% 1% 9% 0% F NA															95000 G
	East I-295 is signed as South I-295															
East 295							To:	Hanover County Line								
	Henrico County	0.75	36000	G	89%	1%	1%	1%	9%	0%	F	NA			35000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 54000 G 84% 1% 1% 1% 13% 0% F NA															51000 G
	East I-295 is signed as South I-295															
East 295							To:	SR 156								
	Henrico County	1.34	26000	F	89%	1%	1%	1%	9%	0%	F	0.09	F		27000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 55000 F 89% 1% 1% 1% 9% 0% F 0.087 F 0.511 55000 F															
	East I-295 is signed as South I-295															
East 295							To:	I-64; US 60 Collector Rd Begin								
	Henrico County	2.49	13000	F	76%	1%	1%	1%	22%	0%	F	0.086	F		12000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 26000 F 76% 1% 1% 1% 22% 0% F 0.089 F 0.539 24000 F															
	East I-295 is signed as South I-295															
East 295							To:	I-64; US 60 Collector Rd End								
	Henrico County	2.23	19000	F	76%	1%	1%	1%	22%	0%	F	0.085	F		17000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 42000 F 76% 1% 1% 1% 22% 0% F 0.086 F 0.513 38000 F															
	East I-295 is signed as South I-295															
East 295							To:	SR 895								
	Henrico County	2.91	17000	F	76%	1%	1%	1%	22%	0%	F	0.085	F		15000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 35000 F 76% 1% 1% 1% 22% 0% F 0.085 F 0.505 31000 F															
	East I-295 is signed as South I-295															
East 295							To:	SR 5								
	Henrico County	4.45	18000	F	76%	1%	1%	1%	22%	0%	F	0.083	F		16000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 36000 F 76% 1% 1% 1% 22% 0% F 0.083 F 33000 F															
	East I-295 is signed as South I-295															
East 295							To:	Chesterfield County Line								
	Henrico County Line															
	Chesterfield County (Maint: 43)	2.64	18000	F	76%	1%	1%	1%	22%	0%	F	0.083	F		16000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 36000 F 76% 1% 1% 1% 22% 0% F NA 33000 F															
	East I-295 is signed as South I-295															
East 295							To:	SR 10								

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 295																
		From:	I-64													
	Henrico County	2.03	22000	F	93%	0%	1%	2%	4%	0%	F	0.115	F		24000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	F	93%	0%	1%	2%	4%	0%	F	NA			46000	F
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	Nuckols Rd													
	Henrico County	2.31	24000	F	93%	0%	1%	2%	4%	0%	F	0.145	F		26000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		49000	F	93%	0%	1%	2%	4%	0%	F	0.119	F	0.593	53000	F
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	US 33													
	Henrico County	3.22	26000	A	93%	0%	1%	2%	4%	0%	C	0.147	A		28000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		53000	A	93%	0%	1%	2%	4%	0%	C	0.133	A	0.573	58000	A
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	Woodman Rd													
	Henrico County	0.91	28000	F	93%	0%	1%	2%	4%	0%	F	0.136	F		30000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	F	93%	0%	1%	2%	4%	0%	F	NA			63000	F
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	US 1; I-95 Collector Rd End													
	Henrico County	1.83	16000	F	93%	0%	1%	2%	4%	0%	F	0.163	F		17000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	F	93%	0%	1%	2%	4%	0%	F	0.128	F	0.625	34000	F
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	US 1; I-95 Collector Rd Begin													
	Henrico County	0.29	45000	G	89%	1%	1%	1%	9%	0%	F	0.105	F		44000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		97000	G	89%	1%	1%	1%	9%	0%	F	NA			95000	G
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	Hanover County Line													
	Henrico County	1.30	35000	G	89%	1%	1%	1%	9%	0%	F	0.088	F		35000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		71000	G	89%	1%	1%	1%	9%	0%	F	NA			70000	G
		<i>West I-295 is signed as North I-295</i>														
West 295																
		From:	SR 156													
	Henrico County	1.10	29000	F	89%	1%	1%	1%	9%	0%	F	0.089	F		28000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		55000	F	89%	1%	1%	1%	9%	0%	F	0.087	F	0.511	55000	F
		<i>West I-295 is signed as North I-295</i>														
		From:	I-64; US 60 Collector Rd End													

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW						
							2Axle	3+Axle	1Trail	2Trail											
West 295							From: I-64; US 60 Collector Rd End														
	Henrico County	2.18	13000	F	76%	1%	1%	1%	22%	0%	F	0.093	F	12000	F						
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	26000		F	76%	1%	1%	1%	22%	0%	F	0.089	F	0.539	24000 F						
		<i>West I-295 is signed as North I-295</i>																			
West 295							To: I-64; US 60 Collector Rd Begin														
	Henrico County	2.21	22000	F	76%	1%	1%	1%	22%	0%	F	0.087	F	20000	F						
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	42000		F	76%	1%	1%	1%	22%	0%	F	0.086	F	0.513	38000 F						
		<i>West I-295 is signed as North I-295</i>																			
West 295							To: SR 895														
	Henrico County	3.49	18000	F	76%	1%	1%	1%	22%	0%	F	0.086	F	17000	F						
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	35000		F	76%	1%	1%	1%	22%	0%	F	0.085	F	0.505	31000 F						
		<i>West I-295 is signed as North I-295</i>																			
West 295							To: SR 5														
	Henrico County	3.89	19000	F	76%	1%	1%	1%	22%	0%	F	0.085	F	17000	F						
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	36000		F	76%	1%	1%	1%	22%	0%	F	NA			33000 F						
		<i>West I-295 is signed as North I-295</i>																			
West 295							To: Chesterfield County Line														
	From: Henrico County Line																				
	Chesterfield County (Maint: 43)	2.64	19000	F	76%	1%	1%	1%	22%	0%	F	0.085	F	17000	F						
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	36000		F	76%	1%	1%	1%	22%	0%	F	NA			33000 F						
		<i>West I-295 is signed as North I-295</i>																			
		To: SR 10																			
301 2	Chamberlayne Ave						To: NCL Richmond														
	Henrico County	0.55	15000	F	96%	1%	1%	0%	1%	0%	C	0.112	F	0.754	16000 F						
		From: I-95																			
301 2	Chamberlayne Ave						Henrico County	0.90	13000	G	94%	0%	1%	2%	3%	0%	F	0.12	N	0.722	5400 G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000		G	95%	0%	1%	2%	2%	0%	F	NA				8500 G					
		From: Upham Dr																			
301 2	Chamberlayne Ave						Henrico County	1.57	16000	F	98%	0%	1%	1%	1%	0%	C	0.12	F	0.722	18000 F
		From: Parham Rd																			
301 2	Chamberlayne Ave						Henrico County	0.17	28000	F	98%	0%	1%	1%	1%	0%	F	0.109	F	0.728	31000 F
		To: Hanover County Line																			
301 2	Chamberlayne Ave SB						From: Ramp from I-95 North														
	Henrico County	0.90	2900	F	98%	0%	1%	1%	1%	0%	F	0.165	F			3100 F					
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000		G	95%	0%	1%	2%	2%	0%	F	NA				8500 G					
		To: Upham Dr																			
356	Hilliard Rd						From: US 33; Staples Mill Rd														
	Henrico County	0.67	17000	F	98%	0%	1%	0%	1%	0%	F	0.104	F	0.621	19000 F						
		To: Thornrose Ave																			

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
356 Hilliard Rd	Henrico County	From: 0.60	Thornrose Ave	16000	F	98%	0%	1%	0%	1%	0%	C	0.105	F	0.599	17000	F
356 Hilliard Rd	Henrico County	To: 0.16	Hermitage Rd	20000	F	98%	0%	1%	0%	1%	0%	F	0.099	F	0.540	22000	F
		To: SR 161; Lakeside Ave															
360 Mechanicsville TnPk	Henrico County	From: 1.53	ECL Richmond	37000	F	98%	0%	0%	0%	1%	0%	F	0.089	F	0.662	39000	F
360 Mechanicsville TnPk	Henrico County	To: 1.34	Laburnum Ave	35000	F	98%	0%	0%	0%	1%	0%	F	0.089	F	0.636	37000	F
		To: Hanover County Line															
East 895 Pocahontas Pkwy	Henrico County	From: 2.22	Chesterfield County Line	7400	F	94%	1%	1%	1%	3%	0%	F	0.106	F		8100	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	14000		F	95%	1%	1%	1%	2%	0%	F	0.109	F	0.503	16000	F
East 895 Pocahontas Pkwy	Henrico County	To: 5.66	Laburnum Ave	3200	F	94%	1%	1%	1%	3%	0%	C	0.107	F		3500	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	6200		F	95%	1%	1%	1%	2%	0%	C	0.121	F	0.592	6800	F
West 895 Pocahontas Pkwy	Henrico County	From: 2.38	Chesterfield County Line	7100	F	95%	1%	1%	0%	2%	0%	F	0.112	F		7800	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	14000		F	95%	1%	1%	1%	2%	0%	F	0.109	F	0.503	16000	F
West 895 Pocahontas Pkwy	Henrico County	To: 5.03	Laburnum Ave	3000	F	95%	1%	1%	0%	2%	0%	C	0.145	F		3300	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	6200		F	95%	1%	1%	1%	2%	0%	C	0.121	F	0.592	6800	F
		To: I-295															

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(26) Mill Rd	1.70	1900	F	97%	1%	1%	0%	0%	0%	C	0.121	F	0.578	2100	F	2004	
(27) Old Washington Hwy	1.67	980	F	97%	1%	2%	0%	0%	0%	C	0.125	F	0.564	1100	F	2004	
(27) Old Washington Hwy	0.62	2500	F	97%	1%	2%	0%	0%	0%	F	0.120	F	0.547	2700	F	2004	
(29) Shady Grove Rd	1.83	2500	F	98%	1%	1%	0%	0%	0%	C	0.127	F	0.614	2800	F	2004	
(29) Shady Grove Rd	0.54	1800	F	98%	1%	1%	0%	0%	0%	F	0.12	F	0.663	2000	F	2004	
(30) Long Bridge Rd	1.38	380	F	99%	0%	1%	0%	0%	0%	C	0.131	F	0.561	420	F	2004	
(30) Long Bridge Rd	2.38	220	F	99%	0%	1%	0%	0%	0%	F	0.157	F	0.634	240	F	2004	
(31) Turner Rd	1.77	1200	F	94%	1%	4%	1%	1%	0%	C	0.105	F	0.503	1300	F	2004	
(31) Turner Rd	1.76	1100	F	94%	1%	4%	1%	1%	0%	F	0.104	F	0.62	1200	F	2004	
(32) Bradbury Rd	1.35	200	F	97%	2%	1%	0%	1%	0%	C	0.131	F		220	F	2004	
(33) Gill Dale Rd	1.67	460	F	95%	1%	2%	2%	1%	0%	C	0.11	F	0.633	510	F	2004	
(34) Poplar Spring Rd	1.00	1600	F	97%	1%	1%	1%	1%	0%	C	0.108	F	0.79	1800	F	2004	
(35) Memorial Dr	1.44	2000	F	93%	1%	1%	2%	2%	0%	C	0.110	F	0.557	2200	F	2004	
(37) Britton Rd	1.39	900	G										NA		940	G	2004
(38) Doran Rd	2.10	1500	F	96%	1%	1%	1%	0%	0%	C	0.100	F	0.578	1700	F	2004	
(39) Seven Hills Rd	0.62	1800	F	88%	2%	2%	2%	6%	0%	C	0.127	F	0.715	2000	F	2004	
(40) Kingsland Rd	1.63	590	F	95%	1%	2%	1%	1%	0%	C	0.104	F	0.522	640	F	2004	
(40) Kingsland Rd	1.20	390	F	95%	1%	2%	1%	1%	0%	F	0.108	F	0.611	430	F	2004	
(41) Church Rd	1.24	8700	F	99%	0%	1%	0%	0%	0%	C	0.108	F	0.635	9500	F	2004	
(41) Church Rd	1.72	7700	F	99%	0%	1%	0%	0%	0%	F	0.106	F	0.709	8400	F	2004	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(42) Cox Rd	0.64	3500	F	98%	0%	1%	0%	0%	0%	C	0.148	F	0.75	3900	F	2004	
				To:	Ridgefield Pkwy												
					Dead End; Gap												
(42) Cox Rd	0.57	15000	F	99%	0%	0%	0%	0%	0%	C	0.117	F	0.737	16000	F	2004	
				To:	Three Chopt Rd; Gap												
					US 250 Broad St												
(43) Varina Rd	3.19	820	F	96%	1%	2%	1%	0%	0%	C	0.107	F	0.625	900	F	2004	
				To:	Kingsland Rd												
					New Market Rd												
(44) Old Courtney Rd	0.44	500	F	99%	1%	1%	0%	0%	0%	C	0.142	F	0.92	550	F	2004	
				To:	Staples Mill Rd												
					Courtney Rd												
(45) Sadler Rd	2.10	1200	F	97%	1%	2%	0%	1%	0%	C	0.105	F	0.645	1400	F	2004	
				To:	43-46 Dominion Blvd.												
					43-7706 Lake Brook Dr												
(46) Dominion Blvd	0.20	13000	F	98%	1%	1%	0%	0%	0%	C	0.106	F		14000	F	2004	
				To:	US 250 Broad St												
					43-45 Sadler Rd												
(47) Old Three Chopt Rd	0.35	2800	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.635	3100	F	2004	
				To:	US 250 Broad St												
					Three Chopt Rd												
(1585) North Gayton Rd	1.45	5800	F	98%	1%	1%	0%	0%	0%	C	0.122	F	0.722	6300	F	2004	
				To:	Broad St												
					Lauderdale Rd												
(1587) Three Chopt Road	2.23	7900	F	99%	0%	0%	0%	0%	0%	F	0.113	F	0.546	8600	F	2004	
				To:	43-7703 Lauderdale Dr												
					Cox Rd												
(1587) Three Chopt Road	0.85	16000	F	99%	0%	0%	0%	0%	0%	C	0.108	F	0.543	17000	F	2004	
				To:	Gaskins Rd												
					From:	From:				F	0.094	F	0.529	13000	F	2004	
(1587) Three Chopt Road	0.27	12000	F	99%	0%	0%	0%	0%	0%								
				To:	SR 157 Pemberton Rd												
(7502) Gayton Rd	0.58	6700	F	98%	0%	1%	0%	0%	0%	F	0.095	F	0.53	7300	F	2004	
				To:	Lauderdale Rd												
(7502) Gayton Rd	2.48	7400	F	98%	0%	1%	0%	0%	0%	C	0.092	F	0.721	8100	F	2004	
				To:	Ridgefield Pkwy												
(7502) Gayton Rd	0.89	11000	F	98%	0%	1%	0%	0%	0%	F	0.091	F	0.61	12000	F	2004	
				To:	Pump Rd												
(7502) Gayton Rd	0.38	16000	F	99%	0%	1%	1%	0%	0%	F	0.101	F	0.597	17000	F	2004	
				To:	SR 157; Quioccasin Rd												
(7502) Quioccasin Rd	0.54	12000	F	98%	0%	1%	0%	0%	0%	F	0.087	F	0.644	14000	F	2004	
				To:	SR 157; Pemberton Rd												
(7502) Quioccasin Rd	1.41	9800	F	99%	0%	0%	0%	0%	0%	C	0.099	F	0.525	14000	F	2004	
				To:	Blue Jay Ln												
(7502) Eastridge Rd	0.28	13000	F	99%	0%	1%	1%	0%	0%	C	0.099	F	0.565	8200	F	2004	
				To:	Parham Rd												
(7506) River Rd	0.88	7500	F	98%	0%	1%	1%	0%	0%	F	0.107	F	0.501	15000	F	2004	
				To:	Goochland County Line												
(7506) River Rd	1.80	14000	F	98%	0%	1%	1%	0%	0%	C	0.113	F	0.597	11000	F	2004	
				To:	Parham Rd												
(7506) River Rd	0.93	14000	F	99%	0%	0%	0%	0%	0%	C	0.115	F	0.704	15000	F	2004	
				To:	Ridge Rd												
(7506) River Rd	0.88	7500	F	99%	0%	0%	0%	0%	0%	F	0.095	F	0.542	15000	F	2004	
				To:	Huguenot Rd												

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail	QC						
Henrico County																
(7508) Derbyshire Rd	1.50	13000	F	99%	0%	0%	0%	0%	0%	C	0.12	F	0.615	14000	F	2004
From Gaskins Rd To Parham Rd																
(7514) Gaskins Rd	1.03	10000	F	98%	0%	1%	0%	0%	0%	F	0.112	F	0.587	11000	F	2004
From River Rd To Patterson Ave																
(7514) Gaskins Rd	0.96	22000	F	98%	0%	1%	0%	0%	0%	C	0.107	F	0.605	24000	F	2004
From Quioccasin Rd To Ridgefield Pkwy																
(7514) Gaskins Rd	0.83	32000	F	98%	0%	1%	0%	0%	0%	F	0.104	F	0.654	35000	F	2004
From Ridgefield Pkwy To Three Chopt Rd																
(7514) Gaskins Rd	0.13	39000	F	98%	0%	1%	0%	0%	0%	F	0.096	F	0.629	43000	F	2004
From Three Chopt Rd To I-64																
(7514) Gaskins Rd	0.92	30000	F	98%	0%	1%	0%	0%	0%	F	0.095	F	0.521	33000	F	2004
From I-64 To Broad St																
(7514) Gaskins Rd	0.59	20000	F	98%	0%	1%	0%	0%	0%	F	0.103	F	0.588	22000	F	2004
From Broad St To Springfield Rd																
From Dead End To 43-7703 Lauderdale Dr																
(7516) Ridgefield Parkway	0.32	510	F	99%	0%	0%	0%	0%	0%	F	0.117	F	0.569	560	F	2004
From 43-7703 Lauderdale Dr To Lauderdale Rd																
(7516) Ridgefield Parkway	0.32	2300	F	99%	0%	0%	0%	0%	0%	F	0.109	F	0.515	2500	F	2004
From Lauderdale Rd To Gayton Rd																
(7516) Ridgefield Pkwy	1.85	13000	F	99%	0%	0%	0%	0%	0%	C	0.101	F	0.608	14000	F	2004
From Gayton Rd To Pump Rd																
(7516) Ridgefield Pkwy	1.34	14000	F	99%	0%	0%	0%	0%	0%	F	0.096	F	0.675	15000	F	2004
From Pump Rd To Gaskins Rd																
From River Rd To SR 6 Patterson Ave																
(7518) Parham Rd	1.91	34000	F	96%	0%	1%	2%	1%	0%	C	0.099	F	0.514	40000	F	2004
From SR 6 Patterson Ave To Quioccasin Rd																
(7518) Parham Rd	0.67	33000	F	99%	0%	1%	0%	0%	0%	F	0.081	F	0.547	38000	F	2004
From Quioccasin Rd To Three Chopt Rd																
(7518) Parham Rd	0.95	34000	F	96%	0%	2%	1%	0%	0%	C	0.084	F	0.548	39000	F	2004
From Three Chopt Rd To I-64																
(7518) Parham Rd	1.22	23000	F	93%	1%	1%	4%	1%	0%	C	0.087	F	0.575	27000	F	2004
From I-64 To US 250 Broad St																
(7518) Parham Rd	0.91	23000	F	99%	0%	1%	0%	0%	0%	F	0.080	F	0.515	26000	F	2004
From US 250 Broad St To Hungary Springs Rd																
(7518) Parham Rd	0.66	23000	F	96%	0%	1%	2%	1%	0%	C	0.085	F	0.517	27000	F	2004
From Hungary Springs Rd To US 33 Staples Mill Road																
(7518) Parham Rd	1.08	28000	G	99%	0%	1%	0%	0%	0%	C	0.107	B	0.589	29000	G	2004
From US 33 Staples Mill Road To 43-7663 Woodman Road																
(7518) Parham Rd	1.91	24000	F	99%	0%	1%	0%	0%	0%	F	0.105	F	0.505	27000	F	2004
See Route SR 73 for Parham Rd between US 1 and I-95.																
From US 1 Brook Rd To I-95																
(7518) Parham Rd	1.48	16000	F	98%	0%	1%	0%	1%	0%	C	0.104	F	0.599	17000	F	2004
See Route SR 73 for Parham Rd between US 1 and I-95.																
From I-95 To US 301, SR 2 Chamberlayne Ave																
From US 301, SR 2 Chamberlayne Ave To Springfield Rd																
(7526) Hungry Rd	1.07	19000	F	98%	0%	1%	1%	0%	0%	F	0.108	F	0.563	20000	F	2004
From Springfield Rd To West End Dr																

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(7526) Hungary Rd	1.32	19000	F	98%	0%	1%	1%	0%	0%		C	0.109	F	0.509	21000	F	2004
(7526) Hungary Rd	0.53	13000	F	98%	1%	1%	0%	0%	0%		F	0.105	F	0.505	14000	F	2004
(7526) Hungary Rd	0.13	16000	F	98%	1%	1%	0%	0%	0%		F	0.105	F	0.514	18000	F	2004
(7526) Hungary Rd	0.71	12000	F	98%	1%	1%	0%	0%	0%		F	0.11	F	0.500	13000	F	2004
(7526) Hungary Rd	2.08	6300	F	98%	1%	1%	0%	0%	0%		C	0.111	F	0.645	6900	F	2004
(7536) Horsepen Rd	0.24	24000	F	99%	0%	0%	0%	0%	0%		F	0.097	F	0.6	26000	F	2004
(7536) Glenside Dr	0.48	20000	F	99%	0%	0%	0%	0%	0%		C	0.09	F	0.569	22000	F	2004
(7536) Glenside Dr	0.15	36000	F	99%	0%	0%	0%	0%	0%		F	0.093	F	0.603	43000	F	2004
(7536) Glenside Dr	0.41	28000	F	98%	0%	1%	0%	0%	0%		F	0.087	F	0.622	33000	F	2004
(7536) Glenside Dr	1.30	14000	F	98%	0%	1%	0%	0%	0%		C	0.09	F	0.551	17000	F	2004
(7537) Masonic Home Ln	0.46	12000	F	95%	1%	1%	2%	2%	0%		F	0.085	F	0.547	13000	F	2004
(7537) Brittles Ln	1.10	12000	F	95%	1%	1%	2%	2%	0%		C	0.087	F	0.557	13000	F	2004
(7538) Monument Ave	1.42	19000	F	99%	0%	1%	0%	0%	0%		F	0.1	F	0.619	21000	F	2004
(7538) Monument Ave	0.57	21000	F	99%	0%	1%	0%	0%	0%		C	0.102	F	0.552	23000	F	2004
(7538) Monument Ave	0.22	22000	F	99%	0%	1%	0%	0%	0%		F	0.108	F	0.529	24000	F	2004
(7539) Beulah Rd	3.03	1800	F	88%	0%	1%	6%	4%	0%		C	0.101	F	0.576	2000	F	2004
(7539) Beulah Rd	0.40	4400	F	88%	0%	1%	6%	4%	0%		F	0.102	F	0.524	4800	F	2004
(7540) Horsepen Rd	0.49	5900	F	98%	0%	1%	0%	0%	0%		C	0.091	F	0.581	6400	F	2004
(7540) Horsepen Rd	0.61	8100	F	97%	0%	1%	1%	0%	0%		C	0.089	F	0.601	8800	F	2004
(7546) Dickens Rd	0.36	3800	F	98%	0%	1%	0%	0%	0%		C	0.113	F	0.7	4200	F	2004
(7546) Dickens Rd	0.25	4700	F	98%	0%	1%	0%	0%	0%		F	0.107	F	0.567	5200	F	2004
(7546) Dickens Rd	0.13	5900	F	98%	0%	1%	0%	0%	0%		F	0.104	F	0.552	6500	F	2004
(7546) Dickens Rd	0.56	6700	F	98%	0%	1%	0%	0%	0%		F	0.106	F	0.672	7300	F	2004

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(7550) Hermitage Rd	1.74	4400	F	98%	0%	2%	0%	0%	0%		C	0.119	F	0.676	4900	F	2004
(7552) Dumbarton Rd	1.34	15000	F	98%	0%	1%	0%	1%	0%		C	0.101	F	0.63	16000	F	2004
(7552) Dumbarton Rd	0.72	9900	F	98%	0%	1%	0%	1%	0%		F	0.118	F	0.523	11000	F	2004
(7555) Laburnum Ave	1.86	12000	F	93%	0%	2%	2%	3%	0%		C	0.094	F	0.515	12000	F	2004
(7555) Laburnum Ave	1.55	20000	F	98%	0%	1%	1%	1%	0%		F	0.083	F	0.633	21000	F	2004
(7555) Laburnum Ave	0.94	22000	F	98%	0%	1%	1%	1%	0%		F	0.080	F	0.517	22000	F	2004
(7555) Laburnum Ave	1.11	34000	F	98%	0%	1%	1%	1%	0%		F	0.080	F	0.505	35000	F	2004
(7555) Laburnum Ave	1.08	21000	F	98%	0%	1%	1%	1%	0%		F	0.089	F	0.506	22000	F	2004
(7555) Laburnum Av	1.27	23000	B	98%	0%	1%	1%	1%	0%		C	0.099	A	0.551	24000	B	2004
(7555) Laburnum Ave	1.65	23000	F	94%	0%	1%	4%	1%	0%		C	0.087	F	0.556	24000	F	2004
(7555) Laburnum Ave	1.20	27000	F	95%	0%	1%	3%	1%	0%		C	0.093	F	0.717	27000	F	2004
(7555) Laburnum Ave	0.50	18000	F	98%	0%	1%	1%	1%	0%		F	0.095	F	0.712	18000	F	2004
(7555) Laburnum Ave	0.80	21000	F	98%	0%	1%	1%	1%	0%		F	0.092	F	0.722	21000	F	2004
(7557) Lewis Rd	1.26	4300	F	93%	1%	1%	1%	4%	0%		C	0.078	F	0.588	4800	F	2004
(7558) Mountain Rd	2.26	4300	F	98%	1%	1%	0%	0%	0%		F	0.104	F	0.548	4700	F	2004
(7558) Mountain Rd	0.89	8400	F	98%	1%	1%	0%	0%	0%		C	0.106	F	0.584	9200	F	2004
(7558) Mountain Rd	2.20	5100	F	98%	1%	1%	0%	0%	0%		F	0.095	F	0.563	5600	F	2004
(7559) Darbytown Rd	0.77	7300	F	95%	1%	2%	2%	0%	0%		C	0.084	F	0.609	8000	F	2004
(7559) Darbytown Rd	2.24	7300	F	95%	1%	2%	2%	0%	0%		F	0.104	F	0.549	8100	F	2004
(7559) Darbytown Rd	5.28	3800	F	95%	1%	2%	2%	0%	0%		F	0.097	F	0.763	4200	F	2004
(7559) Darbytown Rd	2.54	2500	F	95%	1%	2%	2%	0%	0%		F	0.090	F	0.758	2700	F	2004
(7565) Osborne Tnpk	3.12	780	F	98%	0%	1%	0%	0%	0%		F	0.097	F	0.511	850	F	2004

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(7565) Osborne TnPk	3.34	1500	F	98%	0%	1%	0%	0%	0%	C	0.106	F	0.692	1700	F	2004	
(7565) New Osborne TnPk	0.81	1600	F	98%	0%	1%	0%	0%	0%	F	0.089	F	0.548	1800	F	2004	
(7581) Airport Dr South	1.18	15000	F	96%	1%	1%	0%	2%	0%	C	0.08	F	0.608	16000	F	2004	
(7586) Dill Ave	0.66	5000	F	99%	0%	0%	0%	0%	0%	C	0.092	F	0.662	5500	F	2004	
(7589) Dry Bridge Rd	1.16	710	F	86%	1%	1%	6%	6%	0%	C	0.104	F	0.573	780	F	2004	
(7589) Grapevine Rd	1.51	810	F	86%	1%	1%	6%	6%	0%	F	0.091	F	0.670	890	F	2004	
(7591) Hanover Rd	1.54	3300	F	97%	1%	1%	0%	0%	0%	C	0.111	F	0.591	3600	F	2004	
(7594) Wilkinson Rd	0.83	9200	F	98%	0%	2%	0%	0%	0%	F	0.098	F	0.579	10000	F	2004	
(7594) Wilkinson Rd	0.48	7300	F	98%	0%	2%	0%	0%	0%	C	0.094	F	0.534	8000	F	2004	
(7594) Wilkinson Rd	0.56	7300	F	98%	0%	2%	0%	0%	0%	F	0.106	F	0.62	8000	F	2004	
(7594) Wilkinson Rd	1.44	6600	F								0.095	F	0.563	7200	F	2004	
(7596) Azalea Ave	1.33	15000	F	97%	1%	1%	0%	0%	0%	C	0.105	F	0.609	17000	F	2004	
(7607) Oakleys Lane	1.33	7500	F	98%	1%	1%	0%	0%	0%	F	0.088	F	0.559	8200	F	2004	
(7607) Holly Ave	1.03	4300	F	98%	1%	1%	0%	0%	0%	C	0.089	F	0.601	4700	F	2004	
(7607) Holly Ave	0.49	980	F	98%	1%	1%	0%	0%	0%	F	0.116	F	0.612	1100	F	2004	
(7607) W. Washington St	0.76	2000	F	98%	1%	1%	0%	0%	0%	F	0.105	F	0.589	2200	F	2004	
(7609) Richmond-Henrico TnPk	0.23	1500	F	98%	1%	1%	0%	0%	0%	F	0.101	F	0.732	1700	F	2004	
(7609) Richmond-Henrico TnPk	1.28	7700	F	98%	1%	1%	0%	0%	0%	C	0.091	F	0.551	8500	F	2004	
(7609) Richmond-Henrico TnPk	1.17	8100	F	97%	0%	1%	0%	1%	0%	C	0.112	F	0.762	8900	F	2004	
(7613) Dabbs House Rd	1.58	3200	F	96%	1%	2%	0%	1%	0%	C	0.091	F	0.584	3500	F	2004	
(7617) Cedar Fork Rd	1.51	8800	F	98%	1%	1%	0%	0%	0%	C	0.097	F	0.528	9700	F	2004	

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(7618) Creighton Rd	1.51	3300	F	98%	1%	1%	0%	0%	0%	C	0.108	F	0.776	3600	F	2004	
(7618) Creighton Rd	2.56	11000	F	98%	1%	1%	0%	0%	0%	F	0.105	F	0.545	12000	F	2004	
				From	Hanover County Line												
(7622) Harvie Rd	1.02	6700	F	99%	0%	1%	0%	0%	0%	C	0.097	F	0.663	7300	F	2004	
				To	Mechanicsville Tpk												
(7628) Meadow Rd	2.19	810	F	97%	2%	1%	0%	0%	0%	C	0.100	F	0.528	890	F	2004	
				From	Hanover Rd												
				To	Grapevine Rd												
(7641) Libbie Ave	0.16	15000	F	99%	0%	1%	0%	0%	0%	F	0.082	F	0.532	16000	F	2004	
				To	ECL Richmond												
(7641) Libbie Ave	0.56	16000	F	99%	0%	1%	0%	0%	0%	C	0.086	F	0.511	18000	F	2004	
				To	Monument Ave												
(7641) Libbie Ave	0.48	10000	F	99%	0%	1%	0%	0%	0%	F	0.089	F	0.52	11000	F	2004	
				To	Broad St												
				From	Bethlehem Rd												
(7645) Three Chopt Road	0.17	16000	F	99%	0%	1%	0%	0%	0%	F	0.090	F	0.508	17000	F	2004	
				To	Horsepen Rd												
(7645) Three Chopt Road	0.37	15000	F	99%	0%	1%	0%	0%	0%	F	0.102	F	0.561	17000	F	2004	
				To	Skipwith Rd												
(7645) Three Chopt Road	0.49	13000	F	99%	0%	1%	0%	0%	0%	C	0.098	F	0.586	14000	F	2004	
				To	Forest Ave												
(7645) Three Chopt Road	0.79	21000	F	98%	0%	1%	1%	0%	0%	F	0.093	F	0.623	23000	F	2004	
				To	Eastridge Rd												
(7645) Three Chopt Road	0.62	11000	F	98%	0%	1%	1%	0%	0%	C	0.095	F	0.541	12000	F	2004	
				To	Parham Rd												
(7645) Three Chopt Road	1.32	11000	F	99%	0%	0%	0%	0%	0%	C	0.089	F	0.548	12000	F	2004	
				To	Pemberton Ave												
				From	Westwood Ave												
(7647) Dabney Rd	1.24	6200	F	90%	1%	2%	2%	5%	0%	F	0.11	F	0.539	6900	F	2004	
				To	Bethlehem Rd												
(7647) Bethlehem Rd	0.39	6900	F	90%	1%	2%	2%	5%	0%	C	0.112	F	0.579	7600	F	2004	
				To	Dabney Rd												
(7647) Bethlehem Rd	0.84	5300	F	99%	0%	1%	0%	0%	0%	F	0.114	F	0.51	5800	F	2004	
				To	Staples Mill Rd												
(7647) Bethlehem Rd	0.92	5400	F	99%	0%	1%	0%	0%	0%	C	0.12	F	0.639	6000	F	2004	
				To	Dickens Rd												
(7647) Bethlehem Rd	0.33	3600	F	99%	0%	1%	0%	0%	0%	F	0.104	F	0.661	3900	F	2004	
				To	Glenside Drive												
(7647) Bethlehem Rd	0.18	3700	F	99%	0%	1%	0%	0%	0%	F	0.102	F	0.597	4100	F	2004	
				To	Basie Rd												
				To	Broad St												
				From	River Rd												
(7649) Ridge Rd	0.69	8900	F	99%	0%	1%	0%	0%	0%	C	0.100	F	0.615	9700	F	2004	
				To	Forest Ave												
(7649) Ridge Rd	0.98	5200	F	99%	0%	1%	0%	0%	0%	F	0.091	F	0.579	5700	F	2004	
				To	Parham Rd												
				From	River Rd												
(7651) Sleepy Hollow Dr	1.07	2000	F	98%	0%	1%	0%	0%	0%	C	0.121	F	0.638	2200	F	2004	
				To	Derbyshire Rd												

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
(7655) Carolina Ave	1.67	8600	F	97%	1%	1%	0%	1%	0%		C	0.096	F	0.511	9400	F	2004
(7657) Forest Ave	0.86	11000	F	99%	0%	1%	0%	0%	0%		C	0.102	F	0.626	12000	F	2004
(7657) Forest Ave	0.42	10000	F	99%	0%	1%	0%	0%	0%		F	0.107	F	0.682	11000	F	2004
(7657) Forest Ave	1.43	20000	F	99%	0%	1%	0%	0%	0%		F	0.096	F	0.646	22000	F	2004
(7663) Hermitage Rd	0.94	2800	F	98%	1%	1%	0%	0%	0%		F	0.116	F	0.503	3000	F	2004
(7663) Hermitage Rd	0.25	10000	F	98%	1%	1%	0%	0%	0%		C	0.117	F	0.566	11000	F	2004
(7663) Woodman Rd	1.65	8700	F	97%	1%	1%	0%	0%	0%		C	0.127	F	0.597	9600	F	2004
(7663) Woodman Rd	0.23	17000	F	97%	1%	1%	0%	0%	0%		F	0.108	F	0.697	19000	F	2004
(7663) Woodman Rd	0.27	15000	F	98%	1%	1%	0%	0%	0%		F	0.101	F	0.606	17000	F	2004
(7663) Woodman Rd	1.36	13000	F	98%	1%	1%	0%	0%	0%		C	0.110	F	0.575	14000	F	2004
(7663) Woodman Rd	0.11	17000	F	98%	1%	1%	0%	0%	0%		F	0.109	F	0.533	19000	F	2004
(7663) Woodman Rd	0.46	6800	F	98%	1%	1%	0%	0%	0%		F	0.115	F	0.597	7500	F	2004
(7665) Pump Rd	0.74	13000	F	99%	0%	0%	0%	0%	0%		C	0.092	F	0.533	14000	F	2004
(7665) Pump Rd	1.04	15000	F	99%	0%	0%	0%	0%	0%		F	0.09	F	0.532	17000	F	2004
(7665) Pump Rd	0.87	15000	F	99%	0%	0%	0%	0%	0%		F	0.09	F	0.515	17000	F	2004
(7665) Pump Rd	1.36	14000	F	98%	0%	1%	0%	0%	0%		C	0.083	F	0.523	16000	F	2004
(7667) Skipwith Rd	0.53	5100	F	99%	0%	1%	0%	0%	0%		F	0.108	F	0.605	5600	F	2004
(7667) Skipwith Rd	0.92	12000	F	99%	0%	1%	0%	0%	0%		F	0.105	F	0.577	14000	F	2004
(7667) Skipwith Rd	0.77	8200	F	99%	0%	1%	0%	0%	0%		C	0.103	F	0.572	9000	F	2004
(7679) Hungary Springs Rd	0.64	10000	F	99%	0%	1%	0%	0%	0%		F	0.104	F	0.502	11000	F	2004
(7679) Hungary Springs Rd	0.66	11000	F	99%	0%	1%	0%	0%	0%		C	0.098	F	0.57	12000	F	2004
(7679) Hungary Springs Rd	0.84	12000	F	98%	1%	1%	0%	0%	0%		C	0.106	F	0.685	13000	F	2004
(7685) Greenwood Rd	1.67	3500	F	98%	0%	1%	0%	0%	0%		F	0.106	F	0.594	3900	F	2004

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Henrico County																
(7685) Greenwood Rd	1.00	3600	F	98%	0%	1%	0%	0%	0%	C	0.11	F	0.633	4000	F	2004
(7685) Greenwood Rd	1.77	1800	F	98%	0%	1%	0%	0%	0%	F	0.116	F	0.669	1900	F	2004
(7687) Purcell Rd	1.53	3600	F	98%	0%	1%	0%	0%	0%	C	0.108	F	0.557	3900	F	2004
(7689) Gordon Ln	0.49	3800	F	98%	1%	1%	0%	0%	0%	C	0.085	F	0.533	4200	F	2004
(7703) Lauderdale Rd	1.26	8300	F	97%	1%	2%	0%	1%	0%	F	0.101	F	0.563	9200	F	2004
(7703) Lauderdale Rd	1.23	6500	F	97%	1%	2%	0%	1%	0%	C	0.097	F	0.522	7100	F	2004
(7703) Lauderdale Rd	0.63	6900	F	97%	1%	2%	0%	1%	0%	F	0.098	F	0.513	7600	F	2004
(7703) Lauderdale Rd	1.80	15000	F	99%	0%	1%	0%	0%	0%	C	0.098	F	0.596	16000	F	2004
(7704) Falconbridge Dr	1.31	2200	F	98%	1%	1%	0%	0%	0%	C	0.103	F	0.605	2400	F	2004
(7705) Francistown Rd	1.58	5800	F	98%	0%	1%	0%	0%	0%	C	0.111	F	0.562	6400	F	2004
(7706) Nuckols Rd	1.65	6500	F								0.113	F	0.524	6800	F	2004
(7706) Nuckols Rd	1.44	16000	F	96%	0%	1%	3%	1%	0%	C	0.098	F	0.692	18000	F	2004
(7706) Nuckols Rd	0.82	30000	F	98%	0%	1%	0%	0%	0%	F	0.112	F	0.744	33000	F	2004
(7706) Nuckols Rd	0.62	17000	F	98%	0%	1%	0%	0%	0%	C	0.093	F	0.626	19000	F	2004
(7706) Nuckols Rd	0.40	660	F	98%	1%	1%	0%	0%	0%	C	0.118	F	0.779	730	F	2004
(7707) West End Dr	0.50	11000	F	99%	0%	1%	0%	0%	0%	C	0.114	F	0.581	12000	F	2004
(7707) West End Dr	0.53	9300	F	99%	0%	1%	0%	0%	0%	F	0.114	F	0.564	10000	F	2004
(7708) Mayland Dr	0.49	9700	F	99%	0%	1%	0%	0%	0%	C	0.085	F	0.523	11000	F	2004
(7709) Tuckernuck Dr	0.53	8200	F	99%	0%	1%	0%	0%	0%	C	0.097	F	0.581	9000	F	2004
(7710) Courtney Rd	0.78	970	F	98%	0%	1%	0%	0%	0%	C	0.103	F	0.532	1100	F	2004
(7712) Basie Rd	0.44	3600	F	98%	0%	1%	0%	0%	0%	C	0.092	F	0.657	3900	F	2004

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Henrico County																
(7712) Bremner Blvd	0.62	4500	F	98%	0%	1%	0%	0%	0%	F	0.095	F	0.582	4900	F	2004
(7714) Pilots Lane	0.26	1500	F	97%	1%	1%	0%	0%	0%	F	0.094	F	0.658	1600	F	2004
(7714) Pilots Ln	0.22	1400	F	97%	1%	1%	0%	0%	0%	F	0.109	F	0.748	1600	F	2004
(7714) Oronco Ave	0.30	1600	F	97%	1%	1%	0%	0%	0%	C	0.087	F	0.564	1700	F	2004
(7715) Pleasant St	1.35	1900	F	98%	0%	2%	0%	0%	0%	C	0.100	F	0.972	2100	F	2004
(7716) Autobon Dr	1.40	3600	F	95%	1%	2%	1%	1%	0%	C	0.088	F	0.573	3900	F	2004
(7717) Eubank Rd	0.48	3700	F	92%	1%	2%	1%	4%	0%	C	0.105	F	0.589	4100	F	2004
(7718) Oakland Rd	1.56	2800	F	98%	0%	1%	1%	0%	0%	C	0.094	F	0.507	3000	F	2004
(7722) Willow Lawn Dr	0.62	8700	F	98%	0%	1%	0%	0%	0%	C	0.093	F	0.535	9500	F	2004
(7723) Charles City Rd	1.92	4300	F	87%	1%	1%	8%	2%	0%	C	0.087	F	0.536	4700	F	2004
(7723) Charles City Rd	2.58	2900	F	87%	1%	1%	8%	2%	0%	F	0.091	F	0.573	3200	F	2004
(7723) Charles City Rd	5.43	1500	F	87%	1%	1%	8%	2%	0%	F	0.110	F	0.711	1700	F	2004
Aeronca Ave	1200	F									0.101	F	0.595	1200	F	2004
Allenshaw Dr	580	F									0.132	F	0.599	580	F	2004
Alvarado Rd	1200	F									0.117	F	0.508	1200	F	2004
Andover Rd	490	F									0.100	F	0.594	490	F	2004
Antioch Rd	390	F									0.124	F		390	F	2004
Antionette Dr	460	F									0.095	F	0.506	460	F	2004
Argus Ln	330	F									0.152	F	0.765	330	F	2004
Athens Ave	1800	F									0.115	F	0.527	1800	F	2004

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Henrico County																
Attems Way	2300	F				From: Alf Ct					0.112	F	0.619	2300	F	2004
						To: Heritage Ln										
Avalon Dr	1400	F				From: Mayberry Rd					0.167	F	0.62	1400	F	2004
						To: Farmwood Dr										
Baldwin Rd	480	F				From: SR 6 Patterson Ave					0.118	F	0.75	480	F	2004
						To: Hollins Rd										
Battery Ave	140	F				From: Artillery Dr					0.116	F	0.529	140	F	2004
						To: Washington St										
Bayard Rd	540	F				From: US 33					0.084	F	0.565	540	F	2004
						To: Biloxi Rd										
Bentbrook Drive	250	F	99%	0%	0%	1%	0%	0%	0%	C	0.112	F	0.561	250	F	2004
						To: Piccadilly Rd										
Broad Meadows Dr	610	F				From: Mesquite Rd					0.133	F	0.611	610	F	2004
						To: Fireside Dr										
Broad Meadows Rd	1500	F				From: Darrowby Rd					0.106	F	0.896	1500	F	2004
						To: Francistown Rd										
Broadway Ave	310	F				From: Second Ave					0.110	F	0.543	310	F	2004
						To: Oakdale Ave										
Byron St	2600	F				From: Hargrove Ave					0.093	F	0.556	2600	F	2004
						To: Thompson St										
Camrose Rd	680	F	98%	0%	1%	0%	0%	0%	0%	C	0.094	F	0.550	680	F	2004
						To: Lester Ln										
Candlewood Ln	370	F				From: Meadow Rd					0.117	F	0.614	370	F	2004
						To: Mailbrook Ln										
Charnwood Rd	290	F				From: Shadow La					0.105	F	0.54	290	F	2004
						To: Higginbotham										
Chickahominy Ave	280	F				From: Ott St					0.091	F	0.615	280	F	2004
						To: Springdale Rd										
Chickahominy Branch D	520	F				From: River Run Dr					0.116	F	0.590	520	F	2004
						To: Mill Rd										
Clauson Rd	100	F				From: Hood Dr					0.111	F	0.546	100	F	2004
						To: Franconia Rd										
Cliffmore Dr	520	F				From: Schaum Ct					0.116	F	0.645	520	F	2004
						To: Springfield Rd										
Cliffmore Drive	240	F	99%	0%	1%	0%	0%	0%	0%	C	0.128	F	0.597	240	F	2004
						To: Schaum Ct										
Cloverdale St	1100	F				From: Penick Road					0.113	F	0.573	1100	F	2004
						To: Glenside Dr										

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Henrico County																
Cole Blvd	780	F				From: Longdale Ave					0.095	F	0.618	780	F	2004
Cole Blvd	630	F				To: Miller Rd					0.093	F	0.588	630	F	2004
						From: Norfolk St										
						To: Longdale Rd										
Colleen Rd	670	F				From: Subrenda Dr					0.102	F	0.614	670	F	2004
						To: Annlyn Dr										
Colony Bluff Dr	660	F				From: Bonruth Pl					0.132	F	0.674	660	F	2004
						To: Dellbrooks Pl										
Comet Rd	900	F				From: Rudolph Rd					0.123	F	0.513	900	F	2004
						To: Skipwith Rd										
Copperas La	2500	F				From: Glen Point Cir					0.133	F	0.533	2500	F	2004
						To: Brandon Creek Pl										
Cottage Cove Drive	730	F	99%	0%	0%	0%	0%	0%	0%	C	0.132	F	0.696	730	F	2004
						To: Northwind Dr										
						From: Causeway Dr										
Cottage St	1300	F				From: Maplewood Rd					0.128	F		1300	F	2004
						To: Parkside Ave										
Country Creek Way	780	F				From: SR 271 Pouncy Tract Rd					0.103	F	0.762	780	F	2004
						To: Country Creek Ct										
Crystalwood Ln	210	F				From: West End Dr					0.116	F	0.64	210	F	2004
						To: Donaldwood DR										
Damascus Dr	440	F				From: Upham Dr					0.111	F	0.52	440	F	2004
						To: Old Orchard Rd										
Damascus Drive	470	F	98%	0%	1%	1%	0%	0%	0%	C	0.116	F	0.505	470	F	2004
						To: Brookfield Rd										
Dresden Rd	1300	F				From: Three Chopt Rd					0.119	F	0.599	1300	F	2004
						To: Claymont Rd										
Drovin Dr	90	F				From: Westwick Rd					0.141	F	0.539	90	F	2004
						To: Kingsbridge Rd										
Fenwick St	620	F				From: Laburnum Ave					0.099	F	0.592	620	F	2004
						To: Sizer Rd										
Franconia Road	410	F	99%	0%	0%	0%	0%	0%	0%	C	0.106	F	0.698	410	F	2004
						To: Clauson Rd										
Galaxie Rd	1200	F				From: Alycia Ave					0.089	F	0.697	1200	F	2004
						To: Vernon Rd										
Gay Ave	6000	F				From: Lakefield Mews Dr					0.095	F	0.548	6000	F	2004
						To: Millers Ln										
Gunby Rd	750	F				From: Belfort Rd					0.095	F	0.589	750	F	2004
						To: Wishart Rd										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Henrico County																
Hamilton Rd	1100	F				From:	Englewood Rd				0.117	F	0.594	1100	F	2004
						To:	Mountain Rd									
Henrico Ave	670	F				From:	Ridge Rd				0.193	F	0.82	670	F	2004
						To:	David Dr									
Hickory Ave	190	F				From:	Wildwood St				0.14	F	0.509	190	F	2004
						To:	SR 5; New Market Rd									
Hilliard Rd	380	F				From:	Chamberlayne Ave				0.097	F	0.605	380	F	2004
						To:	Hawthorne Ave									
Hillside Ave	330	F				From:	Three Chopt Rd				0.097	F	0.508	330	F	2004
						To:	Granger Rd									
Holly Hill Dr	4300	F				From:	N Parham Rd				0.101	F	0.506	4300	F	2004
						To:	Saint Michaels Ln									
Horsepen Rd	7700	F				From:	Patterson Ave				0.103	F		8400	F	2004
						To:	Three Chopt Rd									
Hungary Ridge Dr	730	F				From:	Hungary Rd				0.104	F	0.673	730	F	2004
						To:	Hungary Ridge Ct									
Hungary Springs Rd	5000	F				From:	Staples Mill Rd				0.111	F	0.633	5500	F	2004
						To:	Hungary Rd									
Ivy Ave	150	F				From:	Beal St				0.12	F	0.556	150	F	2004
						To:	Read St									
John Rolfe Pkwy	3200	F				From:	Lauderdale Rd				0.104	F	0.522	3600	F	2004
						To:	Ridgefield Pkwy									
Jordan Dr	270	F				From:	Mountain Rd				0.126	F	0.618	270	F	2004
						To:	Bowles Ln									
Kain Rd	950	F				From:	SR 271; Pouncey Tract Rd				0.097	F	0.564	950	F	2004
						To:	Willane Rd									
Kinvan Rd	610	F				From:	Strath Rd				0.083	F	0.654	610	F	2004
						To:	Beowulf Dr									
Lafayette Ave	260	F				From:	Linbrook Dr				0.126	F	0.597	260	F	2004
						To:	Thornrose Ave									
Lakefront Dr	560	F				From:	Monida Rd				0.171	F	0.585	560	F	2004
						To:	Sunburst Rd									
Lakewood Rd	370	F				From:	Creston Rd				0.09	F	0.552	370	F	2004
						To:	Meadowbrook Rd									
Lambeth Rd	590	F				From:	Mountain Rd				0.126	F	0.563	590	F	2004
						To:	Glen Lake Dr									
Lampworth Road	250	F	98%	0%	1%	1%	0%	0%		C	0.132	F	0.515	250	F	2004
						To:	Lampworth Cir									
							Lampworth Ct									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
Henrico County																	
Lawndell Rd	1700	F				From: Haviland Dr					0.092	F	0.679	1700	F	2004	
						To: Murdock Rd											
Lothbury Lane	60	F	99%	1%		From: Brendonridge Ln	0%	0%	0%	0%	C	0.230	F	0.808	60	F	2004
						To: Edenbury Dr											
Lourdes Rd	1200	F				From: Hermitage Rd					0.105	F	0.524	1200	F	2004	
						To: Galway La											
Marlin Dr	580	F				From: SR 33; Nine Mile Rd					0.093	F	0.691	580	F	2004	
						To: Third St											
Meadow View Rd	420	F				From: SR 157					0.182	F	0.683	420	F	2004	
						To: Ceres Rd											
Megan Dr	390	F				From: Mountain Rd					0.122	F	0.667	390	F	2004	
						To: Megan Way											
Midview Rd	2000	F				From: SR 5					0.101	F	0.705	2000	F	2004	
						To: Holland St											
Monaco Dr	460	F				From: Rasmussen Dr					0.108	F	0.545	460	F	2004	
						To: Turka Dr											
Montclair Rd	500	F				From: Harvie Rd					0.106	F	0.54	500	F	2004	
						To: E Laburnum Ave											
Mooreland Rd	1800	F				From: Norwick Rd					0.130	F	0.734	1800	F	2004	
						To: Tolman Rd											
Neal St	4200	F				From: US 360					0.104	F	0.613	4200	F	2004	
						To: Bolling Rd											
North Run Rd	1700	F				From: Hungary Rd					0.101	F	0.612	1700	F	2004	
						To: Joycelyn Ct											
Old Hanover Rd	1100	F				From: Grapevine Rd					0.098	F	0.607	1200	F	2004	
						To: SR 156; Airport Dr											
Omega Road	110	F				From: Purcell Rd					0.095	F	0.818	110	F	2004	
						To: Fruehauf Rd											
Opaca Ln	160	F				From: Nuckols Rd					0.172	F	0.597	160	F	2004	
						To: Chapel Rd											
Penick Rd	1400	F				From: Delwood St					0.11	F	0.522	1400	F	2004	
						To: Cloverdale St											
Pinoak Road	70	F	98%	1%	1%	0%	0%	0%	0%		C	0.191	F	0.692	70	F	2004
						To: Dixie Rd											
Pleasant St	2100	F				From: Yates Ln					0.101	F		2100	F	2004	
						To: Apple Grove Ln											
Poates Drive	400	F	98%	0%	1%	0%	0%	0%	0%		C	0.117	F	0.59	400	F	2004
						To: Galway Ln											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Henrico County															
Poplar Spring Rd	1700	F				From: Charles City Rd				0.108	F	0.607	1700	F	2004
						To: Portugee Rd									
Raines Ave	1000	F				From: Gray St				0.103	F	0.624	1000	F	2004
						To: Wooton Rd									
Raintree Dr	2700	F				From: Pepperbill Ln				0.101	F	0.532	2700	F	2004
						To: Falconbridge Dr									
Raleigh Rd	490	F				From: US 60				0.118	F	0.525	490	F	2004
						To: Caswell St									
Sandston Ave	340	F				From: Roy Rd				0.112	F	0.923	340	F	2004
						To: Huntsman Rd									
Sandy Ln	1400	F				From: Harvie Rd				0.091	F	0.604	1400	F	2004
						To: Glenda Rd									
Santa Clara Dr	300	F				From: Barck Pl				0.217	F	0.828	300	F	2004
						To: Tarrytown Dr									
Scotland Ln	420	F				From: Glasgow St				0.107	F	0.62	420	F	2004
						To: Sadler Rd									
Scott Rd	400	F				From: Best Plaza				0.157	F	0.591	400	F	2004
						To: Level Green Ln									
Second Ave	280	F				From: Broadway Ave				0.116	F	0.727	280	F	2004
						To: Ackley Ave									
Sedgwick St	150	F				From: Confederate Ave				0.11	F	0.529	150	F	2004
						To: Wilson Way									
Springdale Rd	1500	F				From: Gaines Rd				0.111	F	0.53	1500	F	2004
						To: Thomas Dr									
St Charles Rd	1300	F				From: Glidewell Rd				0.097	F	0.627	1300	F	2004
						To: Diane Ln									
Stoneleigh St	380	F				From: Buckingham Ave				0.118	F	0.5	380	F	2004
						To: Essex Rd									
Terry Dr	1200	F				From: Timber Rd				0.104	F	0.54	1200	F	2004
						To: Royerton Dr									
Thorncroft Dr	280	F				From: Sadler Rd				0.1	F	0.741	280	F	2004
						To: Waterfront Dr									
Thorncroft Dr	740	F				From: Riverdale Ave				0.111	F	0.593	740	F	2004
						To: Chicopee Rd									
Tiffanywoods Lane	630	F				From: Cedar Fork Rd				0.112	F	0.597	630	F	2004
						To: Cloverfield Ln									
Union St	150	F				From: Garland Ave				0.11	F	0.515	150	F	2004
						To: Medlock Rd									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Henrico Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Henrico County																
Valleyfield Rd	800	F				From: Stoneman Rd					0.09	F	0.534	800	F	2004
						To: Wistar Rd										
Warren View Rd	250	F				From: Evansdale Rd					0.152	F	0.59	250	F	2004
						To: Poplar Forest Dr										
Watts Ln	3200	F				From: US 360					0.084	F	0.507	3200	F	2004
						To: Rosser Rd										
Weldon Dr	270	F				From: Parham Rd					0.136	F	0.547	270	F	2004
						To: Bridle La										
Wilde Lake Dr	590	F				From: Causeway Dr					0.112	F	0.632	590	F	2004
						To: Northlake Dr										
Wilderness Dr	60	F				From: Dead End					0.130	F	0.75	60	F	2004
						To: Kilgore St										
Wistar St	390	F				From: US 250- Broad St					0.094	F	0.784	390	F	2004
						To: Oak Ridge Rd										
Wood Rd	130	F				From: Baldwin Rd					0.128	F	0.647	130	F	2004
						To: Sunderland Rd										
Woodbury Rd	160	F				From: Westham Pkwy					0.107	F	0.529	160	F	2004
						To: Horsepen Rd										
Wyndham Park Dr	3900	F				From: Wyndam Lake Dr					0.109	F	0.755	3900	F	2004
						To: Dominion Club Dr										
Yarnell Rd	60	F				From: Wilson Rd					0.142	F	0.529	60	F	2004
						To: Miller Rd										